

**PRODUCT  
CATALOG  
2025**



**HEALTECH INDUSTRIES** is a trusted name in the healthcare industry, with a clear vision to be the most reliable **OEM manufacturer of Hospital Furniture and O.T. Equipment** under the brand name **HEALTECH**. We are proud to be an **ISO 9001 certified company**, ensuring best quality standards across our entire product range.

We are committed to supply premium quality products to **Government & Private Hospitals, Nursing Homes, and Medical Colleges across India**. **HEALTECH INDUSTRIES** is seeking to become a **one-stop solution for high-quality, cost-effective healthcare furniture and equipment** that comply with globally accepted standards. In addition to our standard product line, we also specialize in **customized solutions** tailored to specific client requirements.

**Trust, Quality, and Innovation** that we are going to built with valuable client by each product we deliver.

DESCRIPTION	PAGE NO.
HOSPITAL BED	4-8
EXAMINATION TABLE	19-21
PATIENT TRANSFER TROLLEY	22-26
HOSPITAL BED ACCESSORIES	27-33
WARD/OT EQUIPMENTS	34-42
HARDWARE/OT EQUIPMENTS	43-44
DELIVERY BED	45-51
WHEELCHAIRS	52
OTHER EQUIPMENTS	53

## HT 01: ICU Bed Electric-ABS Panel & Collapsible Railing



- Frame made of 16gauge CRCA pipe
- Perforated Top made of 18gauge CRCA sheet
- Bed Mounted on 125mm Castors
- Mattress Guard on all four Corners
- Provision for IV Rod on all four corners
- ABS detachable Head & Leg bows
- Railing Collapsible
- Pre-treated & Powder coated
- **Position obtained:** Hi-Low, Backrest, Knee rest, Trendelenburg/Reverse Trendelenburg

## HT 02: ICU Bed Mechanical-ABS Panel & Collapsible Railing



- Frame made of 16gauge CRCA pipe
- Perforated Top made of 18gauge CRCA sheet
- Bed Mounted on 125mm Castors
- Mattress Guard on all four Corners
- Provision for IV Rod on all four corners
- ABS detachable Head & Leg bows
- Railing Collapsible
- Pre-treated & Powder coated
- **Position obtained:** Hi-Low, Backrest, Knee rest, Trendelenburg/Reverse Trendelenburg

## HT 03: ICU Bed Mechanical-ABS Panel & ABS Railing



- Frame made of 16gauge CRCA pipe
- Perforated Top made of 18gauge CRCA sheet
- Bed Mounted on 125mm Castors
- Mattress Guard on all four Corners
- Provision for IV Rod on all four corners
- ABS detachable Head & Leg bows
- Railing Collapsible
- Pre-treated & Powder coated
- **Position obtained:** Hi-Low, Backrest, Knee rest, Trendelenburg/Reverse Trendelenburg

## HT 04: ICU Bed Electric –ABS Panel & ABS Railing



- Frame made of 16gauge CRCA pipe
- Perforated Top made of 18gauge CRCA sheet
- Bed Mounted on 125mm Castors
- Mattress Guard on all four Corners
- Provision for IV Rod on all four corners
- ABS detachable Head & Leg bows
- Railing Collapsible
- Pre-treated & Powder coated
- **Position obtained:** Hi-Low, Backrest, Knee rest, Trendelenburg/Reverse Trendelenburg



## HT 05: ICU Bed Mechanical- SS Pipe Laminate Panel & Collapsable Railing



- Frame made of 16gauge CRCA pipe
- Perforated Top made of 18gauge CRCA sheet
- Bed Mounted on 125mm Castors
- Mattress Guard on all four Corners
- Provision for IV Rod on all four corners
- Railing Collapsible
- Pre-treated & Powder coated
- **Position obtained:** Hi-Low, Backrest, Knee rest, Trendelenburg/Reverse Trendelenburg



## HT 06: Fowler Bed Mechanical- SS Pipe Laminate Panel



- Frame made of 16gauge CRCA pipe
- Perforated Top made of 18gauge CRCA sheet
- Bed Mounted on 125mm Castors
- Mattress Guard on all four Corners
- Provision for IV Rod on all four corners
- SS Pipe with Laminated Board detachable Head & Leg bows.
- Railing optional : Collapsible/drop down.
- Pre-treated & Powder coated
- **Position obtained:** Backrest, Knee rest.

## HT 07: Fowler Bed Mechanical- CRC Sheet Panel



- Frame made of 16gauge CRCA pipe
- Perforated Top made of 18gauge CRCA sheet
- Bed Mounted on 125mm Castors
- Mattress Guard on all four Corners
- Provision for IV Rod on all four corners
- CRC Sheet detachable Head & Leg bows.
- Railing optional : Collapsable/drop down.
- Pre-treated & Powder coated
- **Position obtained:** Backrest, Knee rest.

## HT 08: Fowler Bed Mechanical - Standard



- Frame work of strong & precise steel tubes mounted on 10cms dia Swiveling castors.
  - Having four section top of perforated CRCA sheet - rest section maneuvered by two separate screws.
  - Tubular head and foot bows of unequal height with vertical tube supports.
  - Provision for four saline location.
- Pre-treated & Powder coated.
- Position obtained:** Backrest, Knee rest.

## HT 09: Semi Fowler Bed Mechanical – ABS Panel & Railing



- Frame made of 16-gauge CRCA pipe.
- Perforated top made of 18-gauge CRCA sheet.
- Bed mounted on 125mm castors.
- Mattress guard on all four corners.
- Provision for IV rod on all four corners.
- ABS detachable head and leg bows.
- Collapsible/Drop down railing.
- Pre-treated & epoxy powder coated.
- Position obtained: Backrest.
- Also available electrically operated.

## HT 10: Semi Fowler Bed Mechanical – ABS Panel



- Frame work made of 16 gauge CRCA pipe instead of Rectangular M.S. Tube.
- 2-section top made of perforated M.S. sheet.
- Back rest position maneuvered by separate screw from foot.
- ABS detachable head & leg rest.
- Four locations for IV Rod.
- Pre-treated & Epoxy Powder coated.
- Position obtained: Backrest.
- Also available electrically operated.

## HT 11: Semi Fowler Bed Mechanical – SS Pipe Laminate Panel



- Frame work made of 16-gauge CRCA pipe instead of Rectangular M.S. Tube.
- 2 Section Top made of Perforated M.S. Sheet.
- Back rest Position maneuvered by Separate screw from foot end.
- Four Location for I.V Rod.
- Pre-treated & Epoxy Powder coated.
- Position obtained: Backrest.

## HT 12: Semi Fowler Bed Mechanical – Standard



- Frame work made of 16 gauge CRCA pipe instead of Rectangular M.S. Tube.
- 2 Section Top made of Perforated M.S. Sheet.
- Back rest Position maneuvered by Separate screw from foot end.
- Four Location for I.V Rod.
- Finish: Epoxy Powder Coated.



## HT 13- Plain Hospital Bed



- Frame made of 16gauge CRCA pipe
- Perforated Top made of 18gauge CRCA sheet
- Bed Mounted on PVC Stamps
- Mattress Guard on all four Corners
- Pre-treated & Powder coated
- Tubular Head & Foot Bows of Unequal Height
- Four Location for I.V Rod



## HT 14- Attendant Bed General

- Frame made of 16gauge CRCA pipe
- Perforated Top made of 18gauge CRCA sheet
- Bed Mounted on PVC Stamps
- Mattress Guard on all four Corners
- CRC Pipe Head & Leg bows
- Pre-treated & Powder coated



## HT 15- Attendant Bed General

- Frame made of 16gauge CRCA Pipe
- 5 cm Foam Padded Top Covered with rexine
- Legs fitted with PVC Stumps
- Pre-treated & Powder coated

## HT 16 - Pediatric Bed



- Frame made of 16gauge CRCA pipe
- Top made of CRCA perforated Sheet
- Full length drop side rails on both sides
- Bed Mounted on PVC stamps/castors
- Pre-treated & Powder coated

## HT 17 – Attendant Bed Cum Chair- Standard



- Frame made of 16gauge CRCA pipe
- Top made of 6mm
- Bed Mounted on PVC Stamps & Castors
- CRC Pipe Hand rest
- Pre-treated & Powder coated

## HT 18 – Examination Couch



- Made of 16gauge CRCA pipe/18gauge CRCA Sheet
- Top made of 6mm
- Couch Mounted on PVC Stamps
- Drawer & Cabinets
- Foot Step attached
- Pre-treated & Powder coated

## HT 19 – Examination Couch



- Made of 16gauge CRCA Pipe/18gauge CRCA Sheet
- Upholstered top upper section with three drawers
- Adjustable upholstered back rest
- Lower Section with lockable slide door cabinet
- Swinging tray for B.P. Apparatus
- Pre-treated and Epoxy powder coated

## HT 20 – Gyna Steel Table



- Table, Gynecological, 3 sections, adjustable backrest and leg section with mechanism to varying positions, capable of tilting for obstetric and gynecological use.
- Size: 72" L x 24" W x 30" H (Approx)
- Made of CRC Pipe / SS Pipe

## HT 21 – Patient Trolley With Fixed Cushioned



- Size: 195L x 65W x 68-90H cms (Approx)
- Frame Work made of MS Tubes / SS Tubes
- Safety side railing & I.V. Rod
- Backrest Adjustable
- 15 cms dia castors
- Pre-treated & Epoxy Powder Coated
- Also available in complete S.S.

## HT 22 – Examination Table 2 Section



- **Dimensions:** 183 L x 60 W x 81 H cms. (Approx)
- **Frame:** Work of CRC tubes
- **Base:** Legs fitted with PVC stumps
- **Top:** 5 cms. foam cushioned top covered with recline
- **Finish:** Pre-treated and Epoxy Powder Coated
- **Option:** Also Available in SS

## HT 23 – Patient Trolley With Fixed Cushioned



- Frame work of CRC tubes.
- Legs fitted with PVC stumps.
- 5 cms. foam cushioned top covered with rexine
- Pre-treated and Epoxy Powder Coated.
- Dimensions: 183 L x 60 W x 81 H cms (Approx).
- Also Available in SS.

## HT 24 – Emergency Recovery Trolley - Manual



- **Framework:** Mild Steel (M.S.) Framework
- **Positioning:** Positions obtained by separate smooth crank system with S.S. foldable handle (High-Low, Trendelenburg, Reverse Trendelenburg)
- **Top:** Removable two-section X-Ray permeable top with headrest on ratchet mechanism
- **Mobility:** Trolley mounted on 125 mm (5") diagonal locking castors
- **Features:**
  - Provided with SS drop-down safety side railings
  - SS telescopic I.V. Rod with 4 hooks
  - Suitable mattress of 50 mm (2")
- **Finish:** Pre-treated and Epoxy powder coated



## HT 25 – Emergency Recovery Trolley - Hydraulic



- Tubular M.S. Framework
- Foot operated hydraulic pump
- Smooth Pneumatic mechanism to obtain Trendelenburg and Reverse Trendelenburg positions
- Removable two-section X-Ray permeable top with Head Raise on Ratchet Mechanism
- Trolley mounted on 125 mm (5") diagonal locking castors
- Oxygen Cylinder Cage, Sliding X-ray Cassette holder, SS drop down safety side railings, SS telescopic I.V. Rod with 4 hooks, Utility Tray, Suitable Mattress of 50 mm (2")
- Pre-treated and Epoxy powder coated

## HT 26 – Stretcher on Trolley



- Removable Stretcher top on CRCA, ERW tubular Steel trolley mounted on 150mm (6") Diagonal Locking Castors.
- Farmwork Made of 1.25" x 16G vertical and 1" x 18G horizontal CRC tubes.
- Suitable Mattress of 50 mm (2"), with Safety Belts.
- Finish : Pre-treated and Epoxy powder coated.
- Handle to handle - 2050L x 565W mm
- Trolley Size :1113L x 580W x 800H mm

## HT 27 – Ambulance Stretcher



- Light weight, strong structure, lovely design, good arts and crafts, easy antiseptic, small size convenient to use.
- Utilizes high precision mechanical transmission.
- Can be used automatically folded through the left and right hand control handle.
- Made of high quality aluminum alloy tubes.
- Dimensions:
  - High position: 1,900 x 560 x 900 mm (Approx)
  - Low position: 1,900 x 560 x 280 mm (Approx)
  - NW/GW : 40KG/46KG, Load Bearing : Less Than 159Kgs

## HT 28 – Ambulance Stretcher Cum Wheelchair



- It is made of high-strength aluminum alloy thick-wall pipes.
- The bed surface is made of foamed cushion and the adjustable back making the wounded feel comfortable.
- The mechanical foldaway legs are controlled by one handle on one end of the stretcher. And the legs can be folded under the stretcher when loading into the vehicle.
- This type of stretcher is characterized by its being light, durable antiseptic easy for sterilization.
- This stretcher trolley can be converted into a Chair/Wheelchair; the angle of the Chair can be adjusted according to your requirement.
- It is quite suitable to transfer the patients in the limited place,
- Like Small lifts in hospital.
- **Product Size :**

High position: 1960L x 550W x 860H mm

Low position: 1960L x 550W x 250H mm

NW/GW : 34KG/40KG, Load Bearing : Less Than 159Kgs

# HOSPITAL BED ACCESSORIES



**HT 29**-Heavy ABS Head and Foot Panel with Board



**HT 30** - ABS Head and Foot Panel



**HT 31** - ABS Tuck Away Railing



**HT 32- MS Head and Foot Panel**




**HT 33 - SS Side Railings Collapsible**



**HT 34 - ABS Tuck Away Railing**



**HT 35- SS Head and Foot Panel with Laminated Board**



**HT 36 - Aluminum Side Railings Collapsible**



**HT 37 - Side Railing Swing Away (SS/MS)**



# HOSPITAL BED ACCESSORIES



**HT 38 - Aluminum Side Railings Collapsible**



**HT 39 - Hospital Bed Mattress**



**HT 40 - Mosquito Net Poles**



**HT 41 – I.V. Stand For  
Hospital Bed**



**HT 41 - Anti-Decubitus  
Mattress (lattice Style)**



**HT 42 – Lifting Pole**



**HT 43 – Patient Case  
Sheet Holder**



**HT 44 - Balken Beam  
Frame**



**HT 45 – X-Ray Permeable  
Back Rest Section**



**HT 43 – Patient Case  
Sheet Holder**



**HT 44 - Balken Beam  
Frame**



**HT 45 – X-Ray Permeable  
Back Rest Section**

# WARD/OT EQUIPMENTS



**HT 46 – Bed Side  
Locker Laminated  
Top Deluxe**



**HT 47 - Bed  
Side Locker  
SS Top-Deluxe**



**HT 48 - Bed  
Side Locker  
(Super Deluxe)**



**HT 48 - Bed Side  
Locker With  
Drawer & Railing**



**HT 49 – Over Bed Table**  
(Pneumatically Adjustable)



**HT 50 – Over Bed Table**  
(Gear Adjustable)



**HT 51 - Over  
Bed Table**



**HT 52 - Over Bed  
Table**  
(Adjustable Two Section)



**HT 53 – Over Bed Table**  
(Nobe Adjustable)



**HT 54 – Instrument Mayo's Trolley**  
(Nobe Adjustable)



**HT 55 – Instrument Mayo's Trolley**  
(Gear Adjustable)





**HT 56 – Patient  
Revolving Stool SS Top**



**HT 57 – Patient Revolving  
Stool Complete SS**



**HT 58 - Revolving Stool  
Cushioned Top in  
CRC/SS**



**HT 59 - Attendant  
Stool in CRC/SS**

# WARD/OT EQUIPMENTS



**HT 60** – Lab Technician Stool



**HT 61** – Surgeon Stool in SS With Cushioned Top



**HT 62** – Foot Step Single In SS/CRC



**HT 63** - Foot Step Double in SS/CRC



**HT 64 – Wash Basin Stand Single/Double**



**HT 65 - Kick Bowl**



**HT 66 - Kick Bucket**



**HT 67 – Dressing Trolley**



**HT 68 - Laparoscopic  
Trolley/Monitor  
Trolley**



**HT 69 - Bed Side  
Screen (4 Panel)**



**HT 70 – Bed Side  
Screen (3 Panel)**



**HT 71 - Trolley For  
Oxygen Cylinder**



**HT 72 - Linen Trolley  
With Canvas Bag**



**HT 73 - Linen Trolley With Plastic Bucket**



**HT 74 – Waiting Area Chair (Set of 2 & 3 Chair)**

**HT 75 – Biomedical Waste Bins (Foot Operated)**





**HT 76 – Seamless Dressing Drum (S.S.)**  
**Available Sizes:**\* 6"x4", 6"x6", 9"x5", 11"x5", 11"x9", 14"x9", 15"x12"



**HT 77 – Instrument Sterilizer Electric (S.S.)**  
**Available Sizes:**\* 12"x6"x5.5", 14"x6"x5.5", 16"x6"x5.5", 16"x8"x7.5", 18"x8"x7.5", 20"x8"x7.5", 24"x6"x7.5", 24"x12"x7.5", 24"x12"x12"



**HT 78 – Kidney Tray (S.S.)**  
**Available Sizes:** 6", 8", 10", 12"



**HT 79 – Urinal Pot (S.S.)**  
**Available Sizes:** 800 ml



**HT 80 – Enema Can (S.S.)**  
**Available Sizes:** 2 Ltr.



**HT 81 – Catheter Tray (S.S.)**  
**Available Sizes:**\* 8"x3", 16"x4"



**HT 82 – Instrument Tray (S.S.)**  
**Available Sizes:**\* 8"x6", 9"x6", 10"x8", 11"x7", 12"x8", 12"x10", 15"x12", 18"x12"





**HT 83 – Sputam Mug (S.S.)**  
Available Sizes:\* 450ml



**HT 84 – Lotion Bowl (S.S.)**  
Available Sizes: 112 ml



**HT 85 – Basin (S.S.)**  
Available Sizes: 6", 8", 10", 12", 14", 16"



**HT 86 – Bed Pen (S.S.)**  
Available Sizes: 355 x 290 x 70mm



**HT 87 – Instrument Sterilizer Electric (S.S.)**



**HT 88 – Cidex Tray**



**HT 89 – Formalin Chamber With Two/Three Tray**



## HT 90 – Labor Delivery Room Bed (Electric)



- **Dimensions:** 1880 mm L x 900 mm W x 600-800 mm H (Approx)
- **Frame & Mobility:** Tubular frame work mounted on 125 mm dia castors (two with brakes)
- **Top:** Three section top made of MS pipe with fixed cushioned mattress
- **Adjustments:** Trendelenburg / Reverse Trendelenburg positions, height adjustment, Back section adjustment through electric actuator system
- **Feature:** Leg end section can slide under the main section
- **Accessories:**
  - Provided with a pair of upholstery lithotomy position
  - SS Telescopic IV Rod
  - Detachable SS Tray
- **Option:** Also Available in SS

## HT 91 – Obstetric Delivery Table 3 Section



- **Dimensions:** 72" L x 24" W x 30" H (Approx)
- **Frame:** Rectangular & square tube frame work mounted on PVC stumps
- **Top:** Three sections cushioned top
- **Adjustability:** Backrest, seat, leg section adjustable by hand lever
- **Accessories:** Complete with SS bowls
- **Feature:** Height adjustable a pair of knee crutches
- **Finish:** Pre-treated & Epoxy Powder Coated

## HT 92 – Labor Table



- **Dimensions:** 1830 mm L x 600 mm W x 760 mm H (Approx)
- **Frame:** Work made of MS CRC tubes
- **Top:** Two section cushioned top
- **Accessories:** Complete with a pair of S.S. lithotomy rod made of 12 mm S.S. Rod
- **Adjustability:** Back rest adjustable by hand lever
- **Finish:** Epoxy powder coated
- **Option:** Also Available in SS

## HT 93 – Labor Table



- **Dimensions:** 72" L x 27" W x 30" H (Approx)
- **Frame:** Work made of MS Tube
- **Base:** Legs fitted with PVC Stumps
- **Top:** 3 Section Top made of S.S. Sheet
- **Adjustability:**
  - Back rest section adjustable on ratchet
  - Leg end section can slide under the main section
  - The entire table top gives Trendelenburg position by gas spring system.
- **Safety:** Removable safety side railing provided on 3 sides of the table
- **Accessories:**
  - Height adjustable a pair of foam padded knee crutches
  - Patient bearing down hand grips made of S.S. Tubes
  - Supplied with waste collecting S.S. Bowl on S.S. bracket
  - One S.S. I.V. Rod
- **Finish:** Pre-treated and Epoxy Powder Coated
- **Option:** Also available in S.S. Frame work and S.S. Top

## HT 94 – Obstetric Labor Table Telescopic



- Dimensions: 72"L x 27W x 24-32H Approx
- Tubular frame work mounted on swiveling castors.
- Stainless steel top in three sections.
- Trendelenburg positions, adjustable by pneumatic gas spring system .
- Hydraulically height adjustable by foot paddle from side.
- Bacterist section adjustable on ratchet.
- Leg end section can slide under the main section.
- Height adjustable a pair of knee crutches.
- Pre treated & Epoxy powder coated.
- Also available in S5 frame and S5 sheet top.

## HT 95 – Obstetric Delivery Bed in 2 Section



- Dimensions: 72"L x 27"W x 30"H (Approx)
- Tubular frame work made in two section.
- Body section with legs mounted on PVC stumps.
- Leg section on swivel castors with brakes.
- Two section cushioned top.
- Height adjustable a pair of knee crutches.
- Pre treated & Epoxy powder coated.



## HT 96 – Gynae Examination Table (Plain)



- Dimensions: 180L x 60W x 76H cms Approx
- Frame work made of Rectangular/Square M.S. Tube.
- Legs fitted with PVC Stumps.
- 5 cm foam cushioned top covered with rexine with perineal cut.
- Adjustable lithotomy poles with straps.
- Pre treated & Epoxy powder coated.

## HT 97 – Invalid Wheel Chair Folding



- 16" Seat with Fixed Armrest Front with 4" Solid
- Castors & Rear 26" Solid Wheels with brakes.
- Dimensions: 39.5" L x 28" W x 34.5" H Approx

## HT 98 – Invalid Wheel Chair Folding Non-Folding Special



- 17" cushioned seat & back fixed armrests front with
- 5" solid castors & rear 26" solid wheels with brakes.
- Dimensions : 41" L x 28" W x 33" H (Approx)

# OTHER EQUIPMENTS

**HT 99 – Ward Lockers**



**HT 100 – Instrument Cabinet & Ward Cabinet**





## HEALTECH INDUSTRIES

**Registered Office :** 74, First Floor, Morti, Near Rajnagar Extension, Ghaziabad -201003

**Factory :** KH 1051, Pilar No 595, Vikas Nagar, Meerut Road, Ghaziabad -201003

Email – [info@healtechindustries.com](mailto:info@healtechindustries.com)

Website : [www.healtechindustries.com](http://www.healtechindustries.com)

Disclaimer: Accessories and color shown in the picture may not be part of standard configuration. Technical alterations reserved in view of our continuous improvements. Healtech Industries is the licensed user of the trademark "Healtech Industries" and the logo. Reproduction of this catalogue in any form is liable for legal action.